

DEFINING TRUE AUDIO



PRODUCTS 2011

quadral 

HiFi / Surround Speakers

quadral GmbH & Co. KG

Am Herrenhäuser Bahnhof 26-28 · 30419 Hannover-Germany

Phone: +49 (0) 511 - 79 04-0 · Fax: +49 (0) 511 - 75 35 28

info@quadral.com · www.quadral.com

info@aurumspeakers.com · www.aurumspeakers.com



TITAN VII high-gloss black

VULKAN VIII high-gloss white

MONTAN VIII oak choco

BASE PRESTIGE VIII high-gloss black

Sound:

ABSOLUTELY TOP CLASS

„The MK VII is the best Titan of all time by a long way“

stereoplay 06/2006 (Germany)

REFERENCE

Stereo-floorstanding speaker upperclass

areadvd.de 17.09.2010 (Germany)

AURUM TITAN

MONUMENT DE L'ACOUSTIQUE

PRESTIGE 3-4/2007 (France)

MASTERPIECE

Category floorstanding, HIGHEND CLASS

Value for money: ★★★★★★ areadvd.de 08/2006 (Germany)

AURUM MONTAN

“... real highend...”

STEREO Prestige & Image 05/2010 (France)

OUTSTANDING HIGHEND-Class

95 Points 

AUDIO 12/2009 (Germany)

“... absolutely exemplarily”

fairaudio.de 12/2009 (Germany)

PRICE CLASS REFERENCE

areadvd.de 10.11.2009 (Germany)

High end sound is the goal ... and AURUM is the result. It represents technology at its innovative best. Our engineers don't rely on what has been done before, but devote their efforts to pushing the boundaries of what is possible. They search for innovative solutions, and time and again come up with new and revolutionary designs.

The AURUM series is quadral's latest step into the world of pure sound and stunning beauty. They are designed to satisfy even the most discerning musical and visual tastes. Stereo or home theatre, a system can be configured to suit your personal requirements, with front, center, rear and

	TITAN VII	VULKAN VIII	MONTAN VIII	BASE PRESTIGE VIII	BASE VIII	
Type:	3-way	3-way	3-way	3-way	3-way	
Design principle:	Press.-cham/bass reflex	Press.-cham/bass reflex	Press.-cham/bass reflex	bass reflex	closed	
Nominal/music power (W):	300/500	250/400	200/300	140/220	120/200	
Frequency response (Hz):	16...65.000	20...65.000	25...65.000	30...65.000	33...65.000	
Efficiency (dB/1W/1m):	91	90	89	88	87	
For amplifier (Ohm):	4...8	4...8	4...8	4...8	4...8	
Speaker:	Tweeter Midrange Woofer	Ribbon 210 mm Ø ALTIMA® 380 mm Ø ALTIMA®	Ribbon 170 mm Ø ALTIMA® 320 mm Ø ALTIMA®	Ribbon 170 mm Ø ALTIMA® 260 mm Ø ALTIMA®	Ribbon 170 mm Ø ALTIMA® 170 mm Ø ALTIMA®	Ribbon 135 mm Ø ALTIMA® 135 mm Ø ALTIMA®
Dimension (H x W x D) in cm:	130 x 51 x 59,6	126,5 x 29 x 51,75	112 x 27 x 44,8	21,5 x 60 x 38,4	17,9 x 48 x 24,7	
Weight (kg):	88	55	40	17,19	10,4	
Finish:	cherry* maple champ.* high-gloss black	oak nature* oak choco*, cherry* high-gloss black	oak nature* oak choco*, cherry* high-gloss black	oak nature* oak choco*, cherry* high-gloss black	oak nature* oak choco*, cherry* high-gloss black	
* real-wood veneer	high-gloss white	high-gloss white	high-gloss white	high-gloss white	high-gloss white	
** only with frontspeaker	individual	individual	individual	individual**	individual	



WOTAN VIII



BASE VIII high-gloss black

ORKAN VIII cherry

ALTAN VIII oak nature

MEGAN VIII cherry

WOTAN VIII high-gloss white

ORKUS high-gloss black

subwoofer all available in matched setups. AURUM is truly an amazing experience.

The new AURUM world of color: all speakers are designed and manufactured in Germany, with custo-mized lacquered finishes available to meet customer needs.

They are available in standard, satinized or high-gloss form.

AURUM 5.1 Set

HIGHLIGHT

Tested 5.1-set was consisting of:

ORKAN, MEGAN, BASE and ORKUS audiovision 10/2010 (Germany)

AURUM ORKAN

HIGHLIGHT

Sound: **ABSOLUTELY TOP CLASS**

Value for money: **OUTSTANDING** stereoplay 05/2010 (Germany)

OUTSTANDING

Sound: **5 of 5 stars**, finish: **5 of 5 stars**

HOME ELECTRONIC 05/2010 (Switzerland)

AURUM ALTAN

Recommendation

Price/Performance: **OUTSTANDING**, Sound: **84** points

AUDIO 07/2010 (Germany)

PRICE VALUE WINNER

VERY GOOD

digital tested August/2010 (Germany)

	ORKAN VIII	WOTAN VIII	ALTAN VIII	MEGAN VIII	ORKUS SUB
Type:	3-way	3-way	2-way	2-way	Type: Subwoofer, active
Design principle:	Press.-cham/bass reflex	bass reflex	bass reflex	bass reflex	Design principle: bass reflex, downfire
Nom./music power (W):	160/250	120/200	70/120	60/100	Nom./music power (W): 300/400
Frequency response (Hz):	28...65.000	33...65.000	38...65.000	44...65.000	Frequency response (Hz): 22...150
Efficiency (dB/1W/1m):	89	88	87	86	Crossover freq. (Hz): 50...150, variable
For amplifier (Ohm):	4...8	4...8	4...8	4...8	Input sensivity (mV): 250
Speaker:	Tweeter Ribbon	Ribbon	Ribbon	Ribbon	Stand-By-connection: yes, energy saving
	Midrange 170 mm Ø ALTIMA®	135 mm Ø ALTIMA®	-	-	Phase: 0/180°
	Woofers 2x170 mm Ø ALTIMA®	2x135 mm Ø ALTIMA®	170 mm Ø ALTIMA®	135 mm Ø ALTIMA®	Speaker: Woofer 300 mm Ø
Dim. (HxWxD) in cm:	102,2 x 22,2 x 44,8	92,1 x 19,4 x 42,8	40,5 x 22,2 x 34,55	35,7 x 19,4 x 29,05	Dim. (H x W x D) in cm: 47,2 x 39 x 56,95
Weight (kg):	31	19,2	12,6	9	Weight (kg): 31,6
Finish:	oak nature*	oak nature*	oak nature*	oak nature*	Finish: oak nature*
	oak choco*, cherry*	oak choco*, cherry*	oak choco*, cherry*	oak choco*, cherry*	oak choco*, cherry*
	high-gloss black	high-gloss black	high-gloss black	high-gloss black	high-gloss black
* real-wood veneer	high-gloss white	high-gloss white	high-gloss white	high-gloss white	high-gloss white
	individual	individual	individual	individual**	individual



Quadral's newest line of speakers, PLATINUM M, delivers a virtual live performance in your living room. Large, low-distortion cone chassis with aluminum membranes as well as an innovative ring transducer with titanium membrane allow superb dynamics as well as articulate details and imaging.

The speakers come in a choice of high-gloss black or high-gloss white.

PLATINUM M3

Value for money: **VERY GOOD** ★★★

STEREO 01/2011 (Germany)

PLATINUM M4 - 5.1 Set

REFERENCE Loudspeaker system 5.1 Upper middle class

areadvd.de 01/2010 (Germany)

PLATINUM M4

TESTWINNER/HIGHLIGHT

stereoplay 12/2009 (Germany)

PLATINUM M5 - 5.1 Set

TOP CLASS Testresult: **OUTSTANDING**

HEIMKINO December 2009 (Germany)

PLATINUM M5

"A very balanced system, neutral and dynamically."

TED Québec Audio & Vidéo 05/2010 (Canada)

HIGHENDTIP 90 Points

AUDIO 01/2010 (Germany)

Testresult: **95%**

DOMÁČÍ KINO 02/2010 (Czech Republic)

Testresult: **OUTSTANDING**

STEREO & VIDEO 02/2010 (Czech Republic)

TOP CLASS 1,2

Value for money: **VERY GOOD**

HiFi Test June 2009 (Germany)

	M5	M4	M3	M2	M1 BASE
Type:	3-way	3-way	3-way	2-way	3-way
Design principle:	press.-chamber/ bass reflex	press.-chamber/ bass reflex	bass reflex	bass reflex	closed
Nominal/music power (W):	160/250	140/200	120/180	60/90	110/170
Frequency response (Hz):	23...50.000	28...50.000	30...50.000	40...50.000	35...50.000
Efficiency (dB/1W/1m):	90	90	89	87	88
For amplifier (Ohm):	4...8	4...8	4...8	4...8	4...8
Speaker:					
Tweeter	RiCom-M	RiCom-M	RiCom-M	RiCom-M	RiCom-M
Midrange	2x135 mm Ø alu	135 mm Ø alu	180 mm Ø alu	-	135 mm Ø alu
Woofer	2x180 mm Ø alu	2x170 mm Ø alu	180 mm Ø alu	135 mm Ø alu	135 mm Ø alu
Weight (kg):	28,3	22,4	17,16	5,8	9,2
Dim. (H x W x D) in cm:	112,4* x 23 x 31,75	100,1* x 21 x 31,75	93*x 21 x 28,2	32 x 18 x 22,95	16 x 55 x 24,95
Finish:	high-gloss black	high-gloss black	high-gloss black	high-gloss black	high-gloss black
*Dim. incl. base plate	high-gloss white	high-gloss white	high-gloss white	high-gloss white	high-gloss white

CHROMIUM STYLE ... compact giants of sound



SUB 88
(technical data
see page 11)

STYLE 10 BASE

STYLE 50

STYLE 30

STYLE 100

For premium sound reproduction of music or films, quadral has developed the four-member CHROMIUM STYLE family of speakers. They impressively show how modern design and outstanding sound can come together beautifully in one series. Whether bookshelf, center, fronts or subwoofer, all CHROMIUM STYLE speakers boast exceptional detail resolution, frequency range and dynamics ... optimized for music or surround sound.

All CHROMIUM STYLE speakers come in a choice of high-gloss black or high-gloss white.

STYLE 5.1 Set

REFERENCE

Loudspeaker system 5.1 Upper middle class

areavd.de 03/2010 (Germany)

HIGHLIGHT, TOP CLASS 1,1

Testresult: **VERY GOOD**

HiFi Test February 2010 (Germany)

HIGHLIGHT, TOP CLASS 1,1

Testresult: **OUTSTANDING**

HEIMKINO February 2010 (Germany)

Testresult: **VERY GOOD**

audiovision 12/2009 (Germany)

STYLE 30

UPPER CLASS 1,3

Value for money: **VERY GOOD**

HiFi Test December 2009 (Germany)

	STYLE 100	STYLE 50	STYLE 30	STYLE 10 BASE
Type:	3-way	3-way	2-way	3-way
Design principle:	bass reflex	bass reflex	bass reflex	closed
Nominal power/music power (W):	150/225	100/150	60/90	110/160
Frequency response (Hz):	32...65.000	35...65.000	40...65.000	49...65.000
Efficiency (dB/1W/1m):	89	88	87	88
For Amplifier (Ohm):	4...8	4...8	4...8	4...8
Speaker				
Tweeter	Ribbon	Ribbon	Ribbon	Ribbon
Midrange	135 mm Ø Titanium-PP	135 mm Ø Titanium-PP	-	135 mm Ø Titanium-PP
Woofer	3 x 135 mm Ø Titanium-PP	135 mm Ø Titanium-PP	135 mm Ø Titanium-PP	135 mm Ø Titanium-PP
Dimensions (H x W x D) in cm:	111,05 x 17,89* x 25,95*	94,1 x 16,62* x 23,2*	31,9 x 16,62 x 23,2	16,62 x 55 x 23,2
Weight (kg):	22	12,2	5,5	7,7
Finish:	high-gloss black high-gloss white	high-gloss black high-gloss white	high-gloss black high-gloss white	high-gloss black high-gloss white
Base plate Ø in cm:	33 (glas)	30 (glas)		

*Dimensions with base plate



RHODIUM 90

GOOD (2,4)

Finish: **VERY GOOD**

Stiftung Warentest 01/2010 (Germany)

VERY GOOD

Value for money: ★★★★★

STEREO 10/2008 (Germany)

RHODIUM 20

EXCELLENT

Value for money: ★★★★★

STEREO 10/2008 (Germany)

RHODIUM 90, 20, BASE

GOOD, PRICE TIP

audiovision 02/2009 (Germany)

RHODIUM 70, 20, BASE

OUTSTANDIG

areadvd.de 10/2008 (Germany)

Musicality, clarity and distortion-free dynamics throughout the entire tonal range – regardless of whether it is delicate classical music, driving rock or powerful movie soundtracks. Stereo listening becomes a very special experience. And thanks to their homogenous system design, the speakers in the RHODIUM series deliver superb cinema-like sound in a home theatre setup.

Highlight in the treble range



quadral's new next-generation Super-Audio tweeter ensures crystal-clear sound right up into the very highest trebles.

The resultant fine resolution up to 46.000 Hz means that the RHODIUM speakers meet ever the very latest audio standards.

	90	70	20	BASE	SUB 88 DV aktiv		
Type:	3-way	3-way	2-way	3-way	Type:	Subwoofer, active	
Design principle:	bass reflex	bass reflex	bass reflex	closed	Design principle:	b. reflex, downfire	
Nom./music power (W):	150/210	100/150	60/90	110/160	Nom./music power (W):	150/220	
Frequency response (Hz):	28...46.000	30...46.000	40...46.000	49...46.000	Frequency response (Hz):	22...150	
Efficiency (dB/1W/1m):	89	88	86	88	Crossover freq. (Hz):	50...150, variable	
For Amplifier (Ohm):	4...8	4...8	4...8	4...8	Input sensitivity (mV):	250	
Speaker	Tweeter	25 mm Ø alu-dome	25 mm Ø alu-dome	25 mm Ø alu-dome	25 mm Ø alu-dome	Stand-By-connection:	yes, energy saving
in mm:	Midrange	135 mm Ø Titanium-PP	180 mm Ø Titanium-PP	-	135 mm Ø alu	Phase:	0/180°
	Woofer	2 x 180 mm Ø Tit.-PP	180 mm Ø Titanium-PP	135 mm Ø Tit.-PP	135 mm Ø alu	Speaker:	Woofer 250 mm Ø
Dim. (H x W x D) in cm:	102,5 x 22 x 31,3	94,5 x 22 x 26,9	32,6 x 16,8 x 25,8	16,8 x 55 x 22,4	16,8 x 55 x 22,4	Dim. (H x W x D) in cm:	39,5 x 31,9 x 40
Weight (kg):	19,62	17,24	5,69	8,35	8,35	Weight (kg):	14,8
Finish:	black	black	black	black	black	Finish:	high-gloss black
	walnut/cream	walnut/cream	walnut/cream	walnut/cream	walnut/cream		high-gloss cream



Well designed details make for guaranteed listening pleasure, with matching sonic and visual quality. Discover favourite sounds all over again, thanks to ARGENTUM. Enjoy music as it was meant to be enjoyed, be it the silky sound of a concert violin, the crisp riffs of a rock guitar or the hypnotic beat of a techno album. ARGENTUM can always be relied upon to deliver the best sound, in pure stereo or surround.

45.000 Hz Super Audio Tweeter



quadral's super-audio tweeter made for finely contoured highlights in the trebles. The sound-damping material behind the fabric dome ensures that reflections from the rear have no effect on the diaphragm. But the really special feature lies in the extremely compact diaphragm mass which enables a cut-off frequency of 45.000 Hz. The fine tonal definition thus made possible meets the standards called for by the modern SACD and audio DVD.

ARGENTUM 390, 370

OUTSTANDING Floorstanding speaker lower middle class

areadvd.de 01/2011 (Germany)

ARGENTUM 330, 320, 310 BASE, SUB 63 aktiv

OUTSTANDING Loudspeaker system 5.1 lower middle class

areadvd.de 01/2011 (Germany)

	390	370	330	320	310 BASE
Type:	3-way	3-way	3-way	2-way	3-way
Design principle:	bass reflex	bass reflex	bass reflex	bass reflex	closed
Nom./music power (W):	140/200	100/150	80/120	60/90	110/160
Frequency response (Hz):	28...45.000	30...45.000	35...45.000	40...45.000	50...45.000
Efficiency (dB/1W/1m):	89	88	87	86	88
For amplifier (Ohm):	4...8	4...8	4...8	4...8	4...8
Speaker					
Tweeter	25 mm Ø calotte	25 mm Ø calotte	25 mm Ø calotte	25 mm Ø calotte	25 mm Ø calotte
Midrange	135 mm Ø	170 mm Ø	135 mm Ø	-	135 mm Ø
Woofer	2 x 170 mm Ø	170 mm Ø	170 mm Ø	135 mm Ø	135 mm Ø
Dim. (H x W x D) in cm:	106* x 18,5 x 34,5	96* x 18,5 x 29	50,6 x 20,5 x 28	31 x 16,5 x 25	16,8 x 55 x 21,5
Base plate: (H x W x D) in cm:	23,5 x 33,0 x 1,6	-	-	-	-
Weight (kg):	17,77	13,95	8,85	4,5	6,6
Finish:	black white	black white	black white	black white	black white

* Dimensions including foot

AMUN X / SHOGUN X



AMUN X

- 1 RiCom-M tweeter
- 2 Alu-midrange
- 3 Alu-woofer
- 4 Bass reflex outlet
- 5 Bass reflex chamber
- 6 Enclosed chamber
- 7 Crossover
- 8 Biwiring connection terminal
- 9 Base plate



AMUN X

SHOGUN X

AMUN X

With the AMUN X, we stay true to our design standards. Modern and timeless form, the greatest possible care in workmanship, and the top-class technology of our AURUM series bring fine sound quality to this 3-way floorstanding speaker. Despite its slender shape, the speaker combines tried-and-true AURUM technology with the newest PC-based bandpass integration to achieve superior performance in the deep ranges through a powerful 18 cm long-stroke driver. Thanks to a generously dimensioned motor together with a high-strength aluminium membrane, a nimble chassis provides smooth naturalness to the voices.

SHOGUN X

A timeless classic with an outstanding heritage. The tenth SHOGUN is distinctive by its new mid/bass driver made of titanium-coated polypropylene membrane. Two powerful, newly developed long-stroke woofers with strong magnets and above-average sized membrane surfaces provide phenomenal bass dynamics with a simultaneous low-THD linear frequency range.

The freely oscillating membrane of the aluminium dome plays up to 46 KHz in the high range, thereby meeting the demands of high-resolution sound formats. Outstanding quality of workmanship is also reflected in the intricate, low-resonance genuine wood-veneer housing with a baffle thickness of 25 mm.

SHOGUN X

OUTSTANDING

Stereo floorstanding-speaker lower middle class

areadvd.de 25.11.2010 (Germany)

	AMUN X	SHOGUN X
Type:	3-way	3-way
Design principle:	band pass	bass reflex
Nom./music power (W):	120/200	100/150
Frequency response (Hz):	30...50.000	30...46.000
Efficiency (dB/1W/1m):	87	88
For Amplifier (Ohm):	4...8	4...8
Speaker	Tweeter RiCom-M	25 mm Ø Alu-calotte
in mm:	Midrange 135 mm Ø Alu	180 mm Ø Titanium-PP
	Woofers 180 mm Ø Alu	180 mm Ø Titanium-PP
Dim. (H x W x D) in cm:	92,05 x 23 x 30,3	95,85* x 23,4 x 34
Weight (kg):	22	23,3
Finish:	graphite	black oak
	black high-gloss	real wood veneer
*Dimension with base plate		

QUINTAS



QUINTAS 6000

QUINTAS 5000

The appealing design and flawless craftsmanship of quadral's QUINTAS 6000 and 5000 surround set pleases the eye, while the speakers' effervescent dynamics and tonal balance bring pure listening enjoyment. Frugal listeners get an ideal combination of high-quality music and film soundtrack reproduction. The set's full-grown upright speakers produce respectable bass volume, so you can dispense with an additional subwoofer. The central speaker boasts impressive speech intelligibility and acoustically neutral music reproduction, while the rear satellites provide a spectacular surround effect.



505
Front 6000



404
Front 5000



101
Rear 6000
Rear 5000

NEW



SUB 63 aktiv

	QUINTAS 6000		QUINTAS 5000		SUB 63 aktiv	
Satellites (Front/Rear/Centre):	3-way/2-way/2-way		3-way/2-way/2-way		Type:	Subwoofer, active
Design principle (F/R/C):	bass reflex/bass reflex/closed		bass reflex/bass reflex/closed		Design principle:	b. reflex, downfire
Nominal power (W) (F/R/C):	140/65/80		120/65/80		Nom./music power (W):	60/100
Music power (W) (F/R/C):	280/130/160		240/130/160		Frequency response (Hz):	30...150
Frequency resp. (Hz) (F/R/C):	26...22.000/50...22.000/60...22.000		28...22.000/50...22.000/60...22.000		Crossover freq. (Hz):	60...150, variable
For amplifier (Ω) (F/R/C):	4...8		4...8		Stand-By-connection:	yes, energy saving
Speaker	Tweeter	25 mm/19 mm/19 mm Ø calotte	Tweeter	25 mm/19 mm/19 mm Ø calotte	Phase:	0/180°
in mm:	Midrange	100 mm/-/- Ø	Midrange	100 mm/-/- Ø	Speaker: Woofer	210 mm Ø
	Woofer	2x200 mm/130 mm/2x100 mm Ø	Woofer	2x170 mm/130 mm/2x100 mm Ø	Dim. (HxWxD) in cm:	40,9 x 24,2 x 31,8
Dim. (HxWxD) in cm (F/R/C):	95,3* x 26,5 x 30,5 / 26 x 18 x 21 / 13,8 x 43,5 x 21		85 x 20 x 2½ x 6 x 18 x 21 / 13,8 x 43,5 x 21		Finish:	high-gloss black (front) / ash decor
Finish:	black ash decor		black ash decor			

* Dimension with foot

MAXI

... aluminium instead of plastic



Wallmount included at 330W and 220W

Compact as they are, the MAXI speakers perform bigger than their size suggests, offering lots of musicality and finesse. Whether listening to music, home theatre, entertaining or partying, the MAXI speakers never fail to impress.

	MAXI 440	MAXI 330 W	MAXI 220 W
Type:	2-way	2-way	2-way
	magnetically shielded	magnetically shielded	magnetically shielded
Design principle:	bass reflex	closed	closed
Nominal power/music power (W):	100/150	100/150	80/130
Frequency response (Hz):	47...24.000	50...24.000	55...24.000
Efficiency factor (dB/1W/1m):	87	87	86
For Amplifier (Ohm):	4...8	4...8	4...8
Speaker	Tweeter	25 mm Ø calotte	13 mm calotte
in mm:	Woofers	135 mm Ø	120 mm Ø
Dimensions (H x W x D) in cm:	24,5 x 15,5 x 17,2	20 x 13,2 x 13,2	13,2 x 13,2 x 13
Finish: Cabinet:	Aluminium	Aluminium	Aluminium
	Cover:	Metal grille	Metal grille
Colour, <i>stainresistant</i> :	silver, black, white	silver, black, white	silver, black, white

ALUMA 8080 / 2060 / 1160



Subwoofer in high-gloss black

Satellite cover in high-gloss black

With their stylish aluminum cabinets, these three new home theatre systems are the ideal complements to a modern flat-panel television. High quality design meets high performance, integrating discreetly into any decor. The ALUMA 8080 towers (BASIC 2008 T) and center speaker (BASIC 2008 BASE) are available separately.

	ALUMA 8080	ALUMA 2060	ALUMA 1160
Satellites (Front/Rear/Centre):	2-way/2-way/2-way, magn. shielded	2-way/2-way/2-way, magn. shielded	2-way/2-way/2-way, magn. shielded
Design principle (F/R/C):	closed	closed	closed
Nominal power (W) (F/R/C):	100/100/100	50/50/60	40/40/60
Music power (W) (F/R/C):	150/150/150	80/80/100	70/70/100
Frequency response (Hz) (F/R/C):	70...40.000/70...40.000/80...20.000	85...22.000/85...22.000/80...22.000	120...22.000/120...22.000/80...22.000
For amplifier () (F/R/C):	4...8	4...8	4...8
Dim. (HxWxD) in cm (F/R):	111x10,2x10,2/111x10,2x10,2	15,9x10,2x10,1/15,9x10,2x10,1	10,8x10,2x10,1/10,8x10,2x10,1
Dim. (HxWxD) in cm (C):	10,2x55x10,2	10,2x24,2x10,1	10,2x24,2x10,1
Finish:	anodized black with high-gloss cover	anodized black with high-gloss cover	black with silver cover
Subwoofer: (see page 11)	active subwoofer, bass reflex, downfire	active subwoofer, bass reflex, downfire	active subwoofer, bass reflex, downfire
Nominal/music power (W):	150/220	60/100	40/80
Frequency response (Hz):	22...150	30...150	30...150
Dimensions (HxWxD) in cm:	39,5 x 31,9 x 40	40,9 x 24,2 x 31,8	40,9 x 24,2 x 31,8
Finish:	high-gloss black	black	black



SUB 700 DV aktiv

SUB 88 DV aktiv

SUB 63 aktiv

SUB 63 aktiv, ARGENTUM 330, 320, 310 BASE

OUTSTANDING Loudspeaker system 5.1 lower middle class

areadvd.de 01/2011 (Germany)

Perfect your listening enjoyment. The rich strokes of a double bass, the wrath full rumble of a storm and the crack of thunder – often it's not until you use a subwoofer that these become a true sonic experience. Getting those long low-frequency sound waves oscillating optimally calls for targeted development of speaker diaphragms, cabinets, electronics and, of course, their optimum interaction. Subwoofers take the strain off your other speakers, enabling them to concentrate fully on the high to low-midrange. Active subwoofers offer additional support via an integrated end stage.

SUB 700 DV aktiv, PLATINUM M5, M2, M1 BASE

TOP CLASS Testresult: **OUTSTANDING**

HEIMKINO December 2009 (Germany)

SUB 700 DV aktiv, PLATINUM M4, M2, M1 BASE

REFERENCE Loudspeaker system 5.1 Upper middle class

areadvd.de 01/2010 (Germany)

SUB 88 DV aktiv, CHROMIUM STYLE 50, 30, 10 BASE

REFERENCE Loudspeaker system 5.1 Upper middle class

areadvd.de 03/2010 (Germany)

HIGHLIGHT, TOP CLASS 1,1 Testresult: **VERY GOOD**

HiFi Test February 2010 (Germany)

HIGHLIGHT, TOP CLASS 1,1 Testresult: **OUTSTANDING**

HEIMKINO February 2010 (Germany)

	SUB 700 DV aktiv	SUB 88 DV aktiv	SUB 63 aktiv
Type:	Subwoofer, active	Subwoofer, active	Subwoofer, active
Design principle:	bass reflex	bass reflex, downfire	bass reflex, downfire
Nom./music power (W):	300/400	150/220	60/100
Frequency response (Hz):	22...150	22...150	30...150
Crossover freq. (Hz):	50...150, variable	50...150, variable	60...150, variable
Input sensitivity (mV):	250	250	200
Stand-By-connection:	yes, energy saving	yes, energy saving	yes, energy saving
Phase:	0/180°	0/180°	0/180°
Speaker: Woofer	300 mm Ø alu	250 mm Ø	210 mm Ø
Dimention (H x W x D) in cm:	57,6*x 39 x 42,1	39,5 x 31,9 x 40	40,9 x 24,2 x 31,8
Weight (kg):	28,8	14,8	9,25
Finish:	high-gloss black high-gloss white	high-gloss black high-gloss white	high-gloss black (front) / ash decor high-gloss white (front) / white decor
* Dim. with base plate		high-gloss cream	

ACCESSORIES



	DESIGN STATIV G	STATIV H	PED 210
Type:	Loudspeaker stand	Loudspeaker stand	Loudspeaker stand
Dim. (H x W x D) in cm:	59 x 37 x 27,5	69,2 x 22 x 29	82 x 21,5 x 22,5
Weight (kg):	5,5	3,6	2,2
Finish:	black, silver, glas baseplate for AURUM ALTAN, AURUM MEGAN, PLATINUM M2, CHROMIUM STYLE 30	black, white, silver for PLATINUM M2, ARGENTUM 320 RHODIUM 20, CHROMIUM STYLE 30, QUINTAS 101, QUINTAS 6000 R/5000 R	black für ALUMA 2060, ALUMA 1160



	MOUNT 400	MOUNT 210	MOUNT 180
Type:	Wall mount	Wall mount	Wall mount
Dim. (H x W x D) in cm:	10,4 x 5,9	9,4 x 2	8 x 7
Weight (g):	240	31,7	152
Finish:	silver grey with ball joint for MAXI 440, 330 W	black horizontal/vertical adjustable protected and registered for ALUMA 2060, 1160	silver grey, black with ball joint for MAXI 330 W, 220 W

Concerning terms of guarantee in other countries, please refer to the distributor in charge.



Our products do not include any wood from endangered tropical tree species.

We are member of:



AURUM 

quadral 
HiFi / Surround Speakers

quadral GmbH & Co. KG

Am Herrenhäuser Bahnhof 26-28 · 30419 Hannover-Germany

Phone: +49 (0) 511 - 79 04-0 · Fax: +49 (0) 511 - 75 35 28

info@quadral.com · www.quadral.com

info@aurumspeakers.com · www.aurumspeakers.com